



### A Snake in the Glass


Wet tank setup and focus stack imaging method for reptile and amphibian specimens

UCM 21061 Lampropeltis mexicana greeri

Emily Braker, Vertebrate Zoology Collections Manager University of Colorado Museum of Natural History emily.braker@colorado.edu

### Project Background











- Partner to oVert project (NSF)
- Mesoamerican amphibians and squamates
- 2D & 3D data resource
- Emphasis in endemic, endangered, and cryptic taxa



Left: UCM 41483 Phrynosoma modestum Right: UCM 40626 Dipsas brevifacies

## Herp Media in GBIF







Diverse 3D forms... tricky!

Figured (top to bottom, left to right)
UCM 38227 Thorius pulmonaris
UCM 16191 Laemanctus serratus
UCM 40777 Phrynosoma cerroense

UCM 8985 Sceloporus spinosus UCM 41256 Incilius cycladen UCM 65662 Pituophis catenifer affinis UCM 25520 Bolitoglossa lincolni

### Photo Tank

aka "photo immersion" or "squeeze" tank




#### **Benefits**

- Eliminates glare
- Eliminates shadows
- Maintains hydration
- Supports specimen
- Better portrays patterning and color


Tank Photo: Zack Randall (FLMNH)

### **Horizontal Setup**



camera on copystand

### **Vertical Setup**



camera on tripod



# Focus Stacking

**Extended Depth of Field** 







Image Stack Different focal distances






Composite Image
Sharp and in focus





### Wet Station Setup



#### **General Recommendations:**

- Keep computer workstation physically separate from imaging station
- Use nitrile Flocked Gloves for moving between wet and dry equipment (reusable)




### Equipment - Photography















### **Copy Stand**

Mounts camera parallel to base

Many options

#### Camera

- DSLR body (digital singlelens reflex)
- Lens: 50-100mm macro

### Lighting

- Tabletop options
- Soft box
- Umbrella

### **Light Diffuser**

- Many options
- Velvet drape

### Background

- Non-reflective (acrylic blotting paper, etc.)
- White Balance card
- Scale Bar
- Color card (optional)


Kaiser RS10 with RTP Arm (40")

Nikon 810D, Nikon AF-S Micro-NIKKOR 60mm f/2.8G ED Lens Product search: portable LED lighting kit

diffuser paper, light box, soft box, Ethafoam, fabric

Product search: nonreflective Acrylic background boards

## Equipment - Photo Tank



### **Shallow Aquarium**

- Build glass, silicon, [plexi]
- Purchase e.g. Glass Aqua
   9.8 x 9.8 x 4.2 in. (model 25S \$56)

17.7 x 11.0 x 7.1 in. (model 45S \$85)







### Elevate on jars or build custom stand

- Even backdrop
- Reduces shadows
- Less reflectance













Preservative bath

Rubber-tipped
Forceps
prevents tank scratches

Glass & Museum Wax
Specimen positioning

Paintbrush, Bulb Syringe remove bubbles, debris, film

Painter's Tape
Repositioning scales and
marking lights

### Equipment - Software & Accessories

### **Camera Power Adapter**

Continuous wall outlet power (vs battery)

 Kit dependent on camera model



#### **Image Stacking Software**

- Helicon Focus
- Zerene Stacker
- CombineZ
- Adobe Photoshop



### **Tethering**

Connect camera to computer for remote operation

#### Cords:

 USB 3.0 Charger Cable -A-Male to Micro-B

#### Software options:

- Helicon Focus Remote
- EOS Utility (Cannon)
- Camera Control Pro (Nikon)





### **Image Processing Software**

Cropping, adjustments, Exporting images

- Adobe LightRoom
- Adobe Photoshop







### Workflow - Set up

#### **Dunk Tank**



- Gently remove loose debris
- Discard ETOH and replace as needed

### **Position Specimen**



- Position specimen parallel to scale bar
- Catalog# visible, flatten tags if possible
- Fill frame adjust camera height, scale bar and white balance as needed

### Clean Stage



- Pop bubbles
- Remove particulates
- Sip surface film with bulb syringe as necessary

# Workflow - Imaging




### **Settings & Exposure**





- Typical settings
- Check exposure

### **Focus Bracketing**




Set nearest and furthest distance points

### Photograph



Remote imaging at specified focal distances



# Workflow - Image Rendering




### Render Image Stack



Automated stitching (various algorithms available – experiment with what works best)

### **Quality Check**




Composite image fully in focus? (if not, reimage and \( \pm \) # shots)



### Retouching

Optional at this stage:


- Dust mapping identify and batch remove particles/known imperfections from entire stack
- Blur tool manually remove background noise in composite image
- Add digital scalebar



Apply consistent file naming convention, e.g.

UCM\_HERP\_61372\_Uma\_paraphygas\_dorsal

### Workflow - change position in tank












## Workflow - Post-processing




### Cropping & White Balance





Batch-process multiple images from same session

### Retouching




**Spot Removal Tool** clone or heal background

#### Increase exposure

- web JPEGs only (if needed)
- preserve TIFFs with minimal processing (whole-image manipulations only so they are journal-compliant)

### **Export Final Versions**



Recommendations

TIFF No compression, 300 ppi

JPEG 3500 pixels long edge, 72 ppi



Export with Metadata preset (EXIF)

### Accessibility


Web-accessible JPEGs \_\_\_\_




Event Verification: accepted Define

- TIFFs available upon request
- Associated with 3D media ?








### TIPS

- Batch specimens by size to avoid frequent adjustments
- Save time & money avoid using a larger tank than necessary and cover when not in use (but change out ETOH as needed to avoid long post-processing times)
- Keep equipment dust-free
- Use glass plate to gently position specimens or tags that do not lie flat on their own
- Consider hiring technicians with photography and art backgrounds





## Acknowledgements



### oMeso Imaging Technicians:

Genevieve Anderegg
Lily Prestein
Alison Sewart
Chinmay Shalawadi

### **Imaging Advice:**

Talia Karim, CUMNH
Zachary Randall, FLMNH
Virginia Scott, CUMNH
Andrew Williston, MCZ

